



alpha

## Safety data sheet

according to 1907/2006/EC, Article 31

Printing date 13.06.2019

Version number 5

Revision: 13.06.2019

### SECTION 1: Identification of the substance/mixture and of the company/undertaking

#### 1.1 Product Identifier:

**Trade name: Fenix Process Oil 600**

**CAS Number:**

64742-54-7

**EC number:**

265-157-1

**Index number:**

649-467-00-8

**Registration number:** 01-2119484627-25

#### 1.2 Relevant identified uses of the substance or mixture and uses advised against:

**Product category:** Process Oil

**Application of the substance / the mixture:** Professional use only

#### 1.3 Details of the supplier of the safety data sheet:

**Manufacturer / Importer / Supplier:**

Alpha Wax BV

Raoul Wallenbergplein 35

2404 ND Alphen aan den Rijn

Tel.: +31 (0)172 242628

Fax: +31 (0)172 241439

email: info@alphawax.com

www.alphawax.com

**Further information obtainable from:** Product safety department.

#### 1.4 Emergency telephone number:

UK - Toxbase (for health professionals only) +44 844 8920111

For members of the public +44 845 4647

Tel.: +31 (0)172 242628

This telephone number can be reached during office hours.

### SECTION 2: Hazards identification

#### 2.1 Classification of the substance or mixture:

**Classification according to Regulation (EC) No 1272/2008:** The substance is not classified, according to the CLP regulation.

#### 2.2 Label elements:

**Labelling according to Regulation (EC) No 1272/2008:** Void

**Hazard pictograms:** Void

**Signal word:** Void

**Hazard statements:** Void

#### Additional information:

EUH210 Safety data sheet available on request.

#### 2.3 Other hazards:

**Results of PBT and vPvB assessment:**

**PBT:** Not applicable.

**vPvB:** Not applicable.

### SECTION 3: Composition/information on ingredients

#### 3.1 Chemical characterization: Substances:

**CAS No. Description:**

64742-54-7 Distillates (petroleum), hydrotreated heavy paraffinic

**Identification number(s)**

**EC number:** 265-157-1

**Index number:** 649-467-00-8

### SECTION 4: First aid measures

#### 4.1 Description of first aid measures:

**General information:**

Never give anything by mouth to an unconscious person.

No special measures required.



alpha

Printing date 13.06.2019

## Safety data sheet

according to 1907/2006/EC, Article 31

Version number 5

Page 2/6

Revision: 13.06.2019

Trade name: **Fenix Process Oil 600**

(Contd. of page 1)

Take affected persons out of danger area and lay down.

**After inhalation:** Take affected persons into fresh air and keep calm.

**After skin contact:**

Rinse with plenty of water and wash with soap.

If skin irritation continues, consult a doctor.

**After eye contact:**

If possible, remove contact lenses.

Rinse opened eye for several minutes (at least 15 minutes) under running water. If symptoms persist, consult a doctor.

**After ingestion:**

DO NOT INDUCE VOMITING!

Rinse out mouth and then drink plenty of water.

**4.2 Most important symptoms and effects, both acute and delayed:** No further relevant information available.

**4.3 Indication of any immediate medical attention and special treatment needed:** No further relevant information available.

### SECTION 5: Firefighting measures

**5.1 Extinguishing media:**

**Suitable extinguishing agents:** Use fire extinguishing methods suitable to surrounding conditions.

**5.2 Special hazards arising from the substance or mixture:** No further relevant information available.

**5.3 Advice for firefighters:**

**Protective equipment:**

Wear fully protective suit.

Wear self-contained respiratory protective device.

**Additional information:** Cool endangered tanks with water spray.

### SECTION 6: Accidental release measures

**6.1 Personal precautions, protective equipment and emergency procedures:** Floors may become slippery

**6.2 Environmental precautions:** Do not allow to enter sewers/ surface or ground water.

**6.3 Methods and material for containment and cleaning up:**

Allow to solidify. Pick up mechanically.

Absorb with liquid-binding material (sand, diatomite, acid binders, universal binders, sawdust).

**6.4 Reference to other sections:**

See Section 7 for information on safe handling.

See Section 8 for information on personal protection equipment.

See Section 13 for disposal information.

### SECTION 7: Handling and storage

**7.1 Precautions for safe handling:**

Avoid inhalation of vapors and contact with eyes, skin and clothing.

Do not eat, drink or smoke while working.

No special measures required.

**Information about fire and explosion protection:** No special measures required.

**7.2 Conditions for safe storage, including any incompatibilities:**

Store in a closed container away from incompatible materials

Store in a well ventilated storage area.

Storage must comply with the local regulations.

**Storage:**

**Requirements to be met by storerooms and tanks:** Only use tanks which are specially equipped for this product.

**Information about storage in one common storage facility:** Store away from oxidising agents.

**Further information about storage conditions:** Store between 0°C and 40°C in a dry, well ventilated place.

**7.3 Specific end use(s):** No further relevant information available.

### SECTION 8: Exposure controls/personal protection

**Additional information about design of technical facilities:** No further data; see section 7.

(Contd. on page 3)

— GB —



alpha

Printing date 13.06.2019

## Safety data sheet

according to 1907/2006/EC, Article 31

Version number 5

Page 3/6

Revision: 13.06.2019

Trade name: **Fenix Process Oil 600**

(Contd. of page 2)

### 8.1 Control parameters:

**Ingredients with limit values that require monitoring at the workplace:** Not required.

**Additional information:** The lists valid during the making were used as basis.

### 8.2 Exposure controls

#### Personal protective equipment:

**General protective and hygienic measures:** The usual precautionary measures are to be adhered to when handling chemicals.

**Respiratory protection:** Not required.

#### Protection of hands:

Use protective gloves to EN ISO 374-1

Only use chemical-protective gloves with CE-labelling of category III.

The glove material has to be impermeable and resistant to the product/ the substance/ the preparation.

#### Material of gloves:

The selection of the suitable gloves does not only depend on the material, but also on further marks of quality and varies from manufacturer to manufacturer.

#### Penetration time of glove material:

Solid material. Penetration time is not applicable.

Handle melted material with thermal gloves.

The exact break through time has to be found out by the manufacturer of the protective gloves and has to be observed.

#### Eye protection:

Face protection

Use safety glasses that meets the requirements of EN 166; latest versions.

#### Body protection:

Use protective suit.

Protective work clothing

**Limitation and supervision of exposure into the environment:** Prevent spills from reaching surface waters or soil.

## SECTION 9: Physical and chemical properties

### 9.1 Information on basic physical and chemical properties:

#### General Information:

##### Appearance:

Form:	Liquid.
Colour:	Clear
Odour:	Slight hydrocarbon
Odour threshold:	Not determined.

**pH-value:** Not determined.

#### Change in condition

Melting point/freezing point:	Not determined.
Initial boiling point and boiling range:	>280 °C
Solidification point:	Not determined.
Pour point	-15 °C (Typical)

**Flash point:** 260 °C (Typical)

**Flammability (solid, gas):** Not applicable.

**Ignition temperature:** Not determined

**Decomposition temperature:** Not determined.

**Auto-ignition temperature:** 320°C

**Explosive properties:** Product does not present an explosion hazard.

#### Explosion limits:

Lower:	1 Vol %
Upper:	10 Vol %

**Vapour pressure at 20 °C:** <0.005 hPa

**Density at 15 °C:** 870 kg/m<sup>3</sup> (Typical)

(Contd. on page 4)

— GB —



alpha

### Safety data sheet

according to 1907/2006/EC, Article 31

Printing date 13.06.2019

Version number 5

Revision: 13.06.2019

Trade name: **Fenix Process Oil 600**

(Contd. of page 3)

<b>Relative density:</b>	Not determined.
<b>Vapour density:</b>	Not determined.
<b>Evaporation rate:</b>	Not determined.
<b>Solubility in / Miscibility with:</b>	
<b>Water:</b>	Insoluble.
<b>Partition coefficient: n-octanol/water:</b>	>6 log POW
<b>Viscosity:</b>	
<b>Dynamic:</b>	Not determined.
<b>Kinematic at 40 °C:</b>	114 mm <sup>2</sup> /s (Typical)
<b>Solvent content:</b>	
<b>Oxidizing properties:</b>	Not determined Does not contain oxidizing properties.
<b>9.2 Other information:</b>	No further relevant information available.

## SECTION 10: Stability and reactivity

**10.1 Reactivity:** Reacts violently with oxidants.

**10.2 Chemical stability:**

**Thermal decomposition / conditions to be avoided:** No decomposition if used according to specifications.

**10.3 Possibility of hazardous reactions:** Reacts with strong oxidising agents.

**10.4 Conditions to avoid:**

Sparks-Open fire

Direct sunlight

Extremely high or low temperatures.

**10.5 Incompatible materials:** Oxidising Agents

**10.6 Hazardous decomposition products:** No dangerous decomposition products known.

## \* SECTION 11: Toxicological information

**11.1 Information on toxicological effects:**

**Acute toxicity:** Based on available data, the classification criteria are not met.

**LD/LC50 values relevant for classification:**

**64742-54-7 Distillates (petroleum), hydrotreated heavy paraffinic**

Oral | LD50 | >5,000 mg/kg (Rat)

Dermal | LD50 | >5,000 mg/kg (Rabbit)

**Primary irritant effect:**

**Skin corrosion/irritation:** No data available.

**Serious eye damage/irritation:** No data available.

**Inhalation:** No data available.

**Respiratory or skin sensitization:** Based on available data, the classification criteria are not met.

**CMR effects (carcinogenic, mutagenic and reprotoxic):**

One of the components contains less than 3% of PCA's (DMSO extract as measured by IP 346). This product does not meet the criteria to be classified as carcinogen.

**Germ cell mutagenicity:** Based on available data, the classification criteria are not met.

**Carcinogenicity:** Based on available data, the classification criteria are not met.

**Reprotoxicity:** Based on available data, the classification criteria are not met.

**STOT-single exposure:** Based on available data, the classification criteria are not met.

**STOT-repeated exposure:** Based on available data, the classification criteria are not met.

**Aspiration hazard:** Based on available data, the classification criteria are not met.

(Contd. on page 5)



alpha

Printing date 13.06.2019

# Safety data sheet

according to 1907/2006/EC, Article 31

Version number 5

Revision: 13.06.2019

Trade name: **Fenix Process Oil 600**

(Contd. of page 4)

## SECTION 12: Ecological information

### 12.1 Toxicity:

The product components are not classified as dangerous for the environment or the quantities are not relevant. Larger or frequent spills can be dangerous or harmful to the environment.

### Aquatic toxicity:

#### 64742-54-7 Distillates (petroleum), hydrotreated heavy paraffinic

LC50/96h >5,000 mg/l (Oncorhynchus mykiss)

EC50/48h >1,000 mg/l (Daphnia Magna)

**12.2 Persistence and degradability:** No further relevant information available.

**12.3 Bioaccumulative potential:** No further relevant information available.

**12.4 Mobility in soil:** No further relevant information available.

### Additional ecological information:

#### General notes:

Water hazard class 1 (German Regulation) (Self-assessment): slightly hazardous for water

Do not allow undiluted product or large quantities of it to reach ground water, water course or sewage system.

### 12.5 Results of PBT and vPvB assessment:

**PBT:** Not applicable.

**vPvB:** Not applicable.

**12.6 Other adverse effects:** No further relevant information available.

## SECTION 13: Disposal considerations

### 13.1 Waste treatment methods:

#### Recommendation:

Observe the locally applicable regulations.

After prior treatment product has to be disposed of in an incinerator for hazardous waste adhering to the regulations pertaining to the disposal of particularly hazardous waste.

Smaller quantities can be disposed of with household waste.

**European waste catalogue:** 13 08 99 Oil waste (not otherwise specified)

#### Contaminated packaging:

**Recommendation:** Disposal must be made according to official regulations.

## SECTION 14: Transport information

### 14.1 UN-Number:

ADR/RID/ADN, IMDG, IATA

Void

### 14.2 UN proper shipping name:

ADR/RID/ADN, IMDG, IATA

Void

### 14.3 Transport hazard class(es):

ADR/RID/ADN, IMDG, IATA

Class:

Void

### 14.4 Packing group:

ADR/RID/ADN, IMDG, IATA

Void

### 14.5 Environmental hazards:

Not applicable.

### 14.6 Special precautions for user:

Not applicable.

### 14.7 Transport in bulk according to Annex II of Marpol and the IBC Code:

Not applicable.

### UN "Model Regulation":

Void

(Contd. on page 6)



alpha

**Safety data sheet**  
according to 1907/2006/EC, Article 31

Printing date 13.06.2019

Version number 5

Revision: 13.06.2019

**Trade name: Fenix Process Oil 600**

(Contd. of page 5)

## SECTION 15: Regulatory information

### 15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture:

#### Directive 2012/18/EU:

#### Named dangerous substances - ANNEX I:

None of the ingredients are listed.

Substance is not listed.

**National regulations:** Not applicable

**Water hazard class:** Water hazard class 1 (Self-assessment): slightly hazardous for water.

**15.2 Chemical safety assessment:** A Chemical Safety Assessment has not been carried out.

## SECTION 16: Other information

**Training hints:** Take care of good information, instruction and training for users.

#### Abbreviations and acronyms:

ADN: Accord Européen relatif au Transport International des Marchandises Dangereuses par voie de Navigation intérieures (European Agreement concerning the International Carriage of Dangerous Goods by Inland Waterways)

ADR: Accord européen sur le transport des marchandises dangereuses par Route (European Agreement concerning the International Carriage of Dangerous Goods by Road)

RID: Règlement international concernant le transport des marchandises dangereuses par chemin de fer (Regulations Concerning the International Transport of Dangerous Goods by Rail)

IMDG: International Maritime Code for Dangerous Goods

IATA: International Air Transport Association

GHS: Globally Harmonised System of Classification and Labelling of Chemicals

EINECS: European Inventory of Existing Commercial Chemical Substances

CAS: Chemical Abstracts Service (Division of the American Chemical Society)

LC50: Lethal concentration, 50 percent

LD50: Lethal dose, 50 percent

PBT: Persistent, Bioaccumulative and Toxic

vPvB: very Persistent and very Bioaccumulative

EC50: Effective Concentration, 50 percent

IOELVS: Indicative Occupational Exposure Limit Values

mPa.s: milliPascal per second

#### References:

This information is based on the current available data (suppliers of raw materials, chemistry maps, Annex VI)

See also the internet site: <http://echa.europa.eu/web/guest/information-on-chemicals/cl-inventory-database>

**Revisions were made in sections marked with \*.**

#### Disclaimer:

The information provided in this Material Safety Data Sheet has been prepared with the utmost care and corresponds to the most recent information available to the supplier on the date of publication mentioned in the header of every page. The contents of this Material Safety Data Sheet should not be considered as a guarantee for certain product properties or fitness for particular purposes. It is the obligation of the user to determine whether the product is suitable for the specific purpose, intended use and the method of application. This Safety Data Sheet only relates to the product described and does not apply to any not defined use or the use of the product in combination with other materials, substances or products. It is the responsibility of the user to use and handle the product with care and to comply with all applicable laws and regulations. The supplier accepts no liability for direct or indirect damages resulting from improper use of this Material Safety Data Sheet and / or the products described therein.